

L Number	Hits	Search Text	DB	Time stamp
3	41	"local control logic" and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 09:41
4	145	(lockout with bus) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 09:46
5	22	(lockout with switch with bus) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:24
6	642	((bus same isolate) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:30
7	0	((bus\$1segment) same isolate) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:29
8	0	((bus\$1segment) same isolate)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:28
9	0	((sub\$1bus subbus) same isolate) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:29
10	0	((sub-bus subbus) same isolate) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 10:30
11	1	((bus same isolate) same "third switch") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 11:18
12	0	((bus\$1segment\$1 same isolate) same "third switch") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 13:02
13	0	(bus\$1segment\$1 same isolate) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 14:15
14	1	(bus\$1segment) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 14:16
15	714	("bus segment" bus-segment) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 14:17
16	35	((("bus segment" bus-segment) same isolate) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 14:35

17	108	((("bus segment" bus-segment) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 14:59
18	0	(bus same segregat\$3 same decoupl\$3 same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 15:00
19	344	(bus same (segregat\$3 decoupl\$3) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 15:16
20	6	(bus same (daisy-chain "daisy chain") same (isolate segregate)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 15:34
21	714	(switched adj (controller processor)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 15:53
23	147	("switched off" adj (controller processor)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 16:06
24	21	(switch same (backup adj processor)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 16:06
-	243	710/300.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 08:40
-	180	710/300.ccls. and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 13:49
-	817	710/305 and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:28
-	140	710/309 and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:34
-	1297	710/107 and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:34
-	741	710/113 and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:38
-	0	(710/300.ccls. and @ad<20010102) and (710/305 and @ad<20010102) and (710/309 and @ad<20010102) and (710/107 and @ad<20010102) and (710/113 and @ad<20010102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:39

-	0	(710/300.ccls. and @ad<20010102) and (710/305 and @ad<20010102) and (710/309 and @ad<20010102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:39
-	34	(710/300.ccls. and @ad<20010102) and (710/305 and @ad<20010102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:43
-	20	(710/300.ccls. and @ad<20010102) and (710/107 and @ad<20010102)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:55
-	0	("serial bus" with interface same midplane same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:56
-	0	((("serial bus" with interface) same midplane same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 14:57
-	184	((("serial bus" with interface) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:04
-	7259	(IIC "I.sup.2 C" I2C) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:07
-	1145	((IIC "I.sup.2 C" I2C) and @ad<20010102) and switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:10
-	3	((IIC "I.sup.2 C" I2C) and @ad<20010102) and switch and (sub\$1bus subbus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:17
-	4	163,992.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:21
-	229	@ad=19980930 and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:47
-	2	@ad=19980930 and "I.sup.2 C"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:54
-	20	barenys.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/25 15:54
-	0	((bus adj control\$3) same midplane same board) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 08:41

-	1	((bus adj control\$3) same midplane) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 08:43
-	2107	midplane and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 08:43
-	5	("serial bus" and midplane) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 09:01
-	50	heitekamp-ross.in. armstrong-michael.in. beesley-michael.in. krishnamurthi-ashok.in. powell-kenneth-richard.in. powell-kenneth-r.in. powell-kenneth.in. wu-mike-m.in. wu-mike.in. wu-michael-m.in. wu-michael.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 09:09
-	0	"bus controller" and "master control processor" and "serial bus interface" and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 09:10
-	26	"bus controller" and master and "serial bus interface" and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 09:51
-	6	((multiple plural\$3) with boards) same "local control") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 09:54
-	652	((multiple plural\$3) with boards) same local) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 10:00
-	28742	((multiple plural\$3) with ("circuit boards" PCB)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 10:01
-	60	((multiple plural\$3) with ("circuit boards" PCB)) and "local control") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 10:12
-	12	("serial device" and "local controller") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 11:06
-	4	("serial bus" same "local controller") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 10:16
-	1	"6205502".PN.	USPAT	2003/07/28 10:22
-	1	"6161157".PN.	USPAT	2003/07/28 10:23
-	1	"5875353".PN.	USPAT	2003/07/28 10:24
-	1	"5742847".PN.	USPAT	2003/07/28 10:26
-	50	((multiplex\$2 mux) same ("i.sub.2 c" iic i2c)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:37

-	0	((temperature adj (sensor monitor)) and (voltage adj (sensor monitor)) and (IDEPROM "ID EPROM")) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:40
-	1828	((temperature adj (sensor monitor)) and (voltage adj (sensor monitor))) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:41
-	4	((temperature adj (sensor monitor)) and (voltage adj (sensor monitor)) and ("serial device" "serial bus device")) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:48
-	11	((temperature adj (sensor monitor)) and (voltage adj (sensor monitor)) with (serial)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:57
-	11	("ID EPROM" IDEPROM) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 12:58
-	3815	("serial bus" and switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 13:59
-	286554	("serial bus" and switchand divide) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 13:59
-	666	("serial bus" and switch and divide) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:01
-	0	("serial bus" same switch same divide) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:02
-	717	("serial bus" same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:02
-	314	("serial bus" with switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:12
-	53	("serial bus" with switch and extend) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:16
-	666	((extend with bus) same switch) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 14:34
-	0	("serial device" same "local processor") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:15

-	11	("serial device" and "local processor") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:23
-	2825	("local processor") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:23
-	880	("local processor" with bus) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:24
-	15	("local processor" with "serial bus") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 15:47
-	0	("routing engine" same (packet\$lengine packet\$lforwarding\$lengine) same midplane) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:06
-	0	("routing engine" same (packet\$lengine packet\$lforwarding\$lengine)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:06
-	0	("routing engine" and (packet\$lengine packet\$lforwarding\$lengine)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:07
-	0	(packet\$lengine) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:08
-	1	(packet\$lforwarding adj engine) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:08
-	180	("routing engine") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:14
-	5	("routing engine" same "routing protocol") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/28 16:41
-	6941	("first switch" and "second switch" and "third switch") and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:24
-	913	((("first switch" and "second switch" and "third switch") and @ad<20010102) and bus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 09:32
-	19	((("first switch" and "second switch" and "third switch") and @ad<20010102) and "serial bus"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:23

-	80	((("first switch" and "second switch" and "third switch") with bus) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:37
-	838	((("first switch" and "second switch" and "third switch") and (shunt bypass)) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:43
-	370	((("first switch" and "second switch" and "third switch") and redundan\$2) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:55
-	45535	(switches near3 series) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 10:57
-	1603	((switches near3 series) and ("first switch" and "second switch" and "third switch")) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 12:37
-	304	((("series switches" "switches in series") and ("first switch" and "second switch" and "third switch")) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:16
-	0	((("series switches" "switches in series") and (("first switch" near3 connected) and ("second switch" near3 disconnected) and ("third switch" near3 connected))) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 14:21
-	22	((("series switches" "switches in series") and (("first switch" near3 (connected closed) and ("second switch" near3 (disconnected open) and ("third switch" near3 (connected closed)))) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 15:06
-	17	((("multi\$lmaster "multi master") adj bus) same switch same control) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/29 15:10
-	64	((("shared) adj bus) same switch same control) and @ad<20010102	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/07/30 08:21